
High Performance EAS Anti-theft Triangle Bottle Security Tag(BT005)

	BT005 Triangle Bottle T	[ag
	Model	BT005
\sim	Application	Wine and spirits
	Outer Dimension	36.5mm*30mm*36mm
	Weight	21.24g/PC
	Frequency	8.2MHz/58KHz
	Lock	Standard / Super
	Packing	250pcs/ctn, 0.03cbm, 6.1kg



The triangle bottle tag is an important label for the protection of bottled products. It is used at the bottleneck of the bottle, which will not affect the beauty of the goods, but also have an excellent anti-theft effect.triangle bottle tag is suitable for stores using 8.2mhz /58KHZ access control system and can be opened with magnetic lockpicker.

Every raw material in the triangle bottle tag is selected with the best quality. This kind of label can completely meet the customer's standard in terms of anti-theft performance and detection distance.


The quality is also very resistant to falling.

We are all completed by the production line, from the purchase of raw materials to the assembly of accessories, to ultrasonic welding to finish the final product, are all operated by professionals. In order to ensure that the label can work normally, we will also carry out full inspection of the triangle bottle tag, so that it absolutely has excellent anti-theft performance.

VIEW MORE

We use the professional ERP system to manage all the orders, it have the record since the first order of our customer ,can also well managed each process of every order .







CE Certificate



ROHS

	Certificate of Approval		
S	CHANGZHOU YIYUAN ELECTRONICS CO., LTD.		۶.
9	Reserves de la construction d	Anger Anger	006 OS
ġ	Datability Management Dynam (* the observations and new first associations with the representation for interded INCOME. (*) (1) (*) (*) (*) (*) (*) (*) (*) (*) (*) (*	Tend to be	ŝ
	No services in real and what and with an electron ways and for inspection from an equivalent. Two reactions in standards for a real backet is service that are equivalent and the service inspection of polarity and the service that are expected and the service inspection of the service of the Back of the service inspection of the service of the service Decoder of the service or the service of the service of the Decoder of the service or the service of power inspection.	ation permits.	
	CATE accounter (CATE accounter) The loss limit of the artification is to Ap 200. (Discuss evolves accounters or our plantation accounter of the Application accounter accounter of the control action of the accounter of the accounter accounter of the control action of the accounter of the accounter accounter of the control action of the accounter of the accounter accounter of the control action of the accounter of the accounter of the accounter accounter of the accounter	Carlot a	
	🧕 📭 鏠)	
	Beijing Zhongliantiannun Certification Ce	enter	

ISO9001

Ro	HS TEST	RE	PORT
10.0070-000	Date Apr. 24.2		Partol
	-		1.01.1 (company results) and (
			or based or the supplicities of many state
d problement in the industry, Furth			
in spring 'V' reports regar, an	-	-	
to make and a location.			
where 'V' approace he repute	the other project of the set	BP 81.8	
W lowers interspire		-	
Patrone restantion	North America	_	Company materials
and the second s			and the second division of the second divisio
No. 78.00 - 11.00	ant ant		Rape April 1988 - April
Re(10.00101100-0	-teath	-	Rape 40-0-198-800.
A + /A + / A	A citizan I		8-2812-1
N + 80-80-1	And a little state	_	8 620-02-1
Chert Repaired			
	And a rest of the rate		
	(and the		L (198 part)
There is	Calcillant (Cris		S (18 juni)
	Conception (1)		1 Contraction
	Characteristic Schends (1986)		1 THE ACT
	Approximate Adverted from Philips		- THE ART
			te bela (R) futar beau cites,
			the Balance (PC) fragment fragment (Printer) and regard other and a list fragment (PC) in applied and the applied study in the
	Name and Party of Lot.		
			Pet, Dender, Dire


ROHS Report



MSDS




Patent






















Product link : <u>https://www.channel-tag.com/?p=1653</u>